


Using Cognitive Behavioral Therapy to Address Emotional Well-Being in Teens and Young Adults with ASD

45th Annual Autism Society National Conference
July 25, 2014

Shana Nichols, PhD
Founder, Director, Licensed Psychologist

Alyson H. Sheehan, PhD
Clinical Coordinator, Licensed Psychologist

ASPIRE Center for Learning and Development
Melville, NY



A Bit about Our Center




ASPIRE Center for Learning and Development
Specializing in autism spectrum disorder

- **Diagnosis, Assessment and Treatment**
 - Psychology, Speech Language, Mental Health Counseling, Behavioral/Educational Consultation
 - Evaluations, groups, social skills, life skills, individual and family therapy, school consultation, community outings, trainings/workshops
- 16 months to late adulthood
- Individuals across the entire spectrum



Topic Overview

- Emotional well-being
- ASD-related barriers to well-being
- Mental health and ASD
- Basics of cognitive behavioral therapy (CBT)
 - Thoughts
 - Feelings
 - Behavior
 - ...and their interplay
- Putting CBT into action
 - Considerations
 - Adaptations
- Case examples and exercises



What is Emotional Well-Being?



Department of Health and Human Services

“Emotional well-being encompasses how you feel about yourself, your ability to successfully manage your feelings as you deal with life's challenges, and the quality of your relationships. Being emotionally balanced can be a strong contributor to your overall mental and physical health.”

Surgeon General

“Mental and emotional well-being is essential to overall health. Positive mental health allows people to realize their full potential, cope with the stresses of life, work productively, and make meaningful contributions to their communities.”



Barriers to well-being in ASD

The “Triple Whammy” (Bromfield, 2010)

- Individuals with ASD are less equipped to handle life’s challenges
- A shrinking social world contributes to deficits
- Self-protection can lead to pushing others away
 - Limited support system
 - Shutting down

I have no friends...nobody will ever like me... I'm a real loser... I push away others to hide my own issues...my life is pathetic...I'll be alone forever...



Barriers to well-being in ASD

Emotional Skills Deficits

- Research
 - Varied regarding type and extent of emotional deficits in ASD
 - Emphasis on face processing
- Reality
 - Goes **beyond** basic emotion identification
 - Recognition of Basic Emotions



Complexities inherent in:

- Understanding causes of emotional experiences in self and others
- Regulating own emotions and internal states
- Creating positive change in interactions



Barriers to well-being in ASD Emotional Skills Deficits

- Vocabulary
- Range and Intensity
- Self-Awareness
- Self-Monitoring
- Content vs. Context



SUBJECTIVE UNITS OF DISTRESS
(SUDS) RATING SCALE

0	25	50	75	100
NOT ANXIOUS CALM AND COMFORTABLE	MILD ANXIETY ON ALERT BUT STILL OK	MODERATE ANXIETY HARD TO FOCUS HARD TO CONCENTRATE	SEVERE ANXIETY GET ME OUTTA HERE!	MOST ANXIOUS EVER! HELP!!!




Barriers to well-being in ASD Emotional Skills Deficits



- Difficulties we often see at our center
 - Identifying emotions in pictures or people
 - Self-generating nonverbal emotional expression
 - Describing physiological components of emotions
 - Recognizing emotional triggers
 - Expressing emotional experiences
 - Relating to others' emotional experiences (especially when having a different experience themselves!)
 - Developing and **using** emotion vocabulary

Barriers to well-being in ASD

Core Difficulties



When **demands exceed coping skills**, services of mental health providers become *essential*

Barriers to well-being in ASD

Social

- Emotions play vital role in socialization
 - Inherent interconnection
 - Social = Emotional
 - Understanding and sharing emotions with others
- Motivation versus navigation
 - Often would like to socialize but struggle to do so
- Social support
 - Stress without it, stress over establishing it
 - Chicken or egg?
 - “Social void”
 - Loneliness
 - Normalization



Barriers to well-being in ASD

Communication

- Messages in social communication
- Interpreting messages
 - Misunderstanding emotional intent
- Expressing messages
 - Unable to “say what you mean”
- Throw electronics in...
- Frustrating all around!



Barriers to well-being in ASD

Cognitive and Behavioral

- Restricted interests
- Repetitive behavior
- Inflexibility
 - Problem-solving
- Executive functioning
 - Getting started
 - Organizing
 - Inhibiting impulses
 - Shifting and juggling
 - Sticking it out
 - Self-monitoring



Barriers to well-being in ASD

Mental Health Concerns

- Comorbid mental health conditions are **very common** with ASD across lifespan (Bradley et al., 2004; Gjevik et al., 2011)
 - 6 +/- 3.4 disorders across lifetime (Joshi et al., 2013)
- Most common
 - Anxiety
 - Depression
 - ADHD
- Identified at our practice
 - Obsessive compulsive disorder (OCD)
 - Panic disorder
 - Trichotillomania
 - Eating disorders
 - Self-injury; suicidal ideation



Barriers to well-being in ASD

“Life Management”

- Difficulties present serious threats to functioning but do not warrant formal diagnosis
 - Self-criticism
 - Low frustration tolerance
 - Poor emotion regulation
 - Problem-solving skill deficits
 - Impairments in executive function
 - Lack of effective coping skills



Barriers to well-being in ASD “A Day in the Life”




An adult with an Autism Spectrum Disorder may "seem" to have no problems and you may just dismiss them as "doing just fine", but please remember that these adults appear this way due to years of hard work to develop successful "coping mechanisms". These mechanisms are NOT NATURAL. They require a lot of mental energy to implement. They work best in ideal situations. Any stress including fatigue, illness, emotional upsets, and surprises will interfere requiring even MORE effort to camouflage their internal reactions. Simply put - it is **EXHAUSTING!** Please understand.

They *have* worked and still *are* working hard to fit into your world. Every. single. day.

<http://www.facebook.com/TheAspieCoach>

Cognitive Behavioral Therapy Building the Bridge

The cognitive behavioral therapy (CBT) model



- Reciprocal influence of each component
- Choosing a target: **thoughts**
 - Different thought → different feelings and behaviors
- Even if a situation does not change, our feelings and subsequent behavior can!

Cognitive Behavioral Therapy


Why CBT?

- Structured sessions
- Active therapist
- Focus on symptoms and skills
- Role of information processing
- **It just makes sense!**
 - Logical
 - Organized
 - Real-world situations in the *present*
 - Collaborative



Cognitive Behavioral Therapy

How Does it Help?



Basics of CBT

Emotions



- Identification
 - Vocabulary
 - Range
 - Intensity
 - Tackling polarization and “forbidden feelings”
- Self-Awareness
 - Physiological indicators of emotions
 - Disconnectedness from bodies
 - Behavior linked with feeling states
- Other-Awareness
 - Verbal and nonverbal indications
 - Interpersonal links
- **Awareness → regulation → well-being**



Basics of CBT

Thoughts

- Distinguishing **thoughts** from **feelings**
 - “I was thinking that I was angry.”
 - “I was feeling like I would never get the job.”
- Abstract nature of thoughts
 - “I’m not thinking anything.”
- Detecting thoughts as they arise
 - Using visualization
- Challenging irrational beliefs through thoughts
 - Helpful vs. unhelpful
 - Justified vs. unjustified



Basics of CBT Behavior

- Research shows that changing behavior can change thoughts about self and emotional state (Kraft & Pressman, 2012; Norem & Chang, 2002)
- “Social instruction manual”
 - Roleplaying
 - Modeling
 - Therapist, TV show
 - Written
- Promotes generalization



Cognitive Behavioral Therapy How Do We Know It Works?

- National Standards Report → “Emerging therapy”
- Case studies and anecdotal evidence
 - Support for efficacy of individual CBT (Cardaciotto & Herbert, 2004; Gaus, 2007; Hare, 1997; Koenig & Levine, 2011)
 - Focus on anxiety
 - Group CBT pilot shows promise (Weiss & Lunsky, 2010)
- Our own experiences...



ASD-Friendly CBT

Adaptations

- Assessing readiness to determine starting point
 - Emotional identification
 - Metacognition
- Orientation to therapy
 - Opening with practice in small-talk
 - Turn-taking and interrupting
 - Checking in
- Individualized pace
- Clear, concrete psychoeducation



ASD-Friendly CBT

Planning Sessions and Treatment

- Forming a therapeutic relationship
- Establishing goals
- Collaborating on “session schedule”
 - Fit for both participants
- Opportunities for modeling and modifying
 - Microcosm of social world - generalization
 - Role of self-disclosure
- Repetition
 - Rote and varied



ASD-Friendly CBT Materials and Activities

- Visuals
 - For use in session
 - To take home
 - Learn to create independently
- Multisensory
 - Engage in different ways
 - Learn in different ways
 - Cope in different ways




ASD-Friendly CBT Integrating Interests

- Shana
 - Healthcare reform
 - Lululemon
 - Comics
 - Conspiracy theories
- Alyson
 - Minecraft
 - BMW
 - Animals (thought I knew it all – BOY was I wrong!)
 - Acoustics




Example – Emotion of the Day

Today I feel: _____



I feel this way because _____





A feeling that I experienced today was: _____

I felt this way because _____

ASD-Friendly CBT

Favorite Tools and Exercises - EMOTIONS




ASD-Friendly CBT Favorite Tools and Exercises - THOUGHTS



ASD-Friendly CBT Favorite Tools and Exercises

Behavior and Coping










ASD-Friendly CBT Electronics and Apps



Sosh



Readings and Resources



Questions???



Thank you for attending!!!

More information about the “CBT Clinic” and other programs
at ASPIRE Center for Learning and Development



info@aspirecenterforlearning.com

www.aspirecenterforlearning.com

www.facebook.com/ASPIRECenterASD